

HIGH COURT OF JUDICATURE FOR RAJASTHAN
BENCH AT JAIPUR

S.B. Civil Writ Petition No. 3789/2026

Ummed Singh Rajput S/o Sh. Shyam Singh Rajput

-----Petitioner

Versus

State Of Rajasthan & Ors.

-----Respondents

For Petitioner(s)	:	Mr. Tanay Jain Mr. Prakhar Sharma
For Respondent(s)	:	

HON'BLE MR. JUSTICE ANUROOP SINGHI

Order

27/02/2026

The present writ petition has been filed challenging the order dated 07.12.2024 issued by respondent No.2 – District Collector, Gangapur City, in favour of respondent No.6 with respect to conversion of Khasra No.3699/3698 (Old Khasra No.3698/3668) situated at Village Amli Ka Pura, Tehsil Nadoti, District Karauli, for the purpose of installation of a petrol pump on the said land.

Mr. Tanay Jain, learned counsel for the petitioner submits that on the basis of all approvals granted to him, he is operating a Brick Kiln upon his land bearing Khasra No.3666 and 3665/1, admeasuring 0.27 and 0.19 hectare respectively, situated at Village Amli Ka Pura, Tehsil Nadoti, District Karauli. It is further submitted that the distance between the petitioner's land, on which the Brick Kiln is operating and the land of respondent No.6 on which the petrol pump is proposed to be installed is about 35 meters only which is less than the minimum prescribed distance of 100 meters required for establishment of a petrol pump.

Learned counsel has placed reliance upon the recent report dated 25.01.2026 (Annexure-9) as per which the distance between the said two lands has been found to be 35 meters.

Learned counsel has also placed reliance upon the letter dated 07.12.2015, which mandates that the distance between a petrol pump and any other establishment storing explosive material must be a minimum of 100 meters.

Taking note of the above, issue notice to the respondents, returnable within four weeks. Notice be also sent through registered post in addition to the normal process.

Notice be given '*dasti*' to the learned counsel for the petitioner.

In the meanwhile, considering the fact that the land bearing Khasra No.3699/3698 on which the petrol pump is proposed to be installed is merely 35 meters from the land of the petitioner on which the Brick Kiln is operational, the effect and operation of the impugned conversion order dated 07.12.2024 shall remain stayed.

List the matter along with S.B. Civil Writ Petition No. 2168/2026.

(ANUROOP SINGHI),J